

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

SECTION 1: Identification of the substance/mixture and of the company/ undertakina

- · 1.1 Product identifier
 - Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow **Base (1:1)**
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - Application of the substance / the mixture Dental impression material
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

Informing department: E-Mail: msds@kulzer-dental.com

· 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling:

Cristobalite

Hazard statements

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P314 Get medical advice/attention if you feel unwell.

- · 2.3 Other hazards -
 - Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow Base (1:1)

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
 - · Description: -

· Dangerous components:		
CAS: 14464-46-1	Cristobalite	25-50%
EINECS: 238-878-4	STOT RE 1, H372	. 0. 5 . 50/
CAS: 27306-78-1	modified heptamethyltrisiloxane with polyalkylene oxide Aquatic Chronic 2, H411 Acute Tox. 4, H332; Eye Irrit. 2, H319	≥2.5-<5%
CAS: 556-67-2 EINECS: 209-136-7 Reg.nr.: 2119529238-36-xxxx	octamethylcyclotetrasiloxane Flam. Liq. 3, H226 Repr. 2, H361f Aquatic Chronic 4, H413	<1%

·SVHC

556-67-2 octamethylcyclotetrasiloxane

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - · After inhalation Supply fresh air; consult doctor in case of symptoms.
 - · After skin contact

Instantly rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
 - Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
 - Protective equipment: Put on breathing apparatus.
 - · Additional information -

CD.



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow Base (1:1)

(Contd. of page 2)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

Avoid contact with eves and skin.

• 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

_

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Please observe the additional instructions in the product's instructions for use.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - Storage
 - · Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
 - Personal protective equipment
 - · General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Use a mask with particle filter in case of dust generation.
- · Protection of hands:

Check protective gloves prior to each use for their proper condition. recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow Base (1:1)

(Contd. of page 3)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

Eye protection: Safety glasses

· Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties · 9.1 Information on basic physical and chemical properties General Information · Appearance: Form: Pasty · Colour: Green Characteristic · Smell: · Odour threshold: Not determined. Not determined. · pH-value: Change in condition Melting point/freezing point: Not determined Initial boiling point and boiling range: 300 °C >130 °C · Flash point: · Inflammability (solid, gaseous) Not applicable. 430 °C · Ignition temperature: · Decomposition temperature: Not determined. · Self-inflammability: Product is not selfigniting. Product is not explosive. Explosive properties: Not determined. · Critical values for explosion: · Lower: Not determined. · Upper: Not determined. · Steam pressure: Not determined. · Density at 20 °C 1.6 g/cm3 Relative density Not determined. · Vapour density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with · Water: Not miscible or difficult to mix · Partition coefficient: n-octanol/water: Not determined. · Viscosity: · dynamic: Not determined. · kinematic: Not determined.

(Contd. on page 5)



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow **Base (1:1)**

(Contd. of page 4)

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
 - Additional information: -

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
 - Acute toxicity Based on available data, the classification criteria are not met.

· LD/	LD/LC50 values that are relevant for classification:		
68083-19-	68083-19-2 Polydimethylsiloxan		
Oral	LD50	>5,000 mg/kg (rat)	
556-67-2	556-67-2 octamethylcyclotetrasiloxane		
Oral	LD50	1,700 mg/kg (mouse)	
		4,800 mg/kg (rat)	
Dermal	LD50	>2,400 mg/kg (rat)	
Inhalative	LC50/4 h	36 mg/l (rat)	

- · Primary irritant effect:
 - Skin corrosion/irritation Based on available data, the classification criteria are not met.
 - · Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

 Germ cell mutagenicity Based on available data, the classification criteria are not met.
 - · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure

Causes damage to the lung through prolonged or repeated exposure. Route of exposure:

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
 - Aquatic toxicity: No further relevant information available.

(Contd. on page 6)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow Base (1:1)

(Contd. of page 5)

· 12.2 Persistence and degradability

556-67-2 octamethylcyclotetrasiloxane

Biodegradation 3.7 % (nd)

· 12.3 Bioaccumulative potential

556-67-2 octamethylcyclotetrasiloxane

Bloconcentration factor (BCF) 12.4 (fish)

- · 12.4 Mobility in soil No further relevant information available.
 - Ecotoxical effects:
 - · Remark: Harmful to fish
 - · Additional ecological information:
 - · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · European waste catalogue
- 18 01 06* chemicals consisting of or containing hazardous substances
 - Uncleaned packagings:
 - Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

14.1 UN-Number		
ADR, IMDG, IATA	Void	
14.2 UN proper shipping name		
14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMĎĞ, IATA	Void	

(Contd. on page 7)



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow **Base (1:1)**

(Contd. of page 6) · 14.5 Environmental hazards: Marine pollutant: No · 14.6 Special precautions for user Not applicable. · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · Transport/Additional information: · UN "Model Regulation": Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - Directive 2012/18/EU
 - · Named dangerous substances ANNEX I None of the ingredients is listed.
 - · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
 - · National regulations
 - · Other regulations, limitations and prohibitive regulations
 - · Substances of very high concern (SVHC) according to REACH, Article 57

556-67-2 octamethylcyclotetrasiloxane

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H361f Suspected of damaging fertility.

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning

the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity - inhalation - Category 4

(Contd. on page 8)



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Light Flow Base (1:1), Flexitime Medium Flow **Base (1:1)**

(Contd. of page 7)

Eye Irrit. 2: Serious eye damage/eye irritation — Category 2
Repr. 2: Reproductive toxicity — Category 2
STOT RE 1: Specific target organ toxicity (repeated exposure) — Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard — Category 4



Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
 - Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat. (1:1)
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Dental impression material
- · 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Tel.: +49 (0)800 4372522

- Informing department: E-Mail: msds@kulzer-dental.com
- · 1.4 Emergency telephone number: Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008

STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

- · 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling:

Cristobalite

Hazard statements

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P314 Get medical advice/attention if you feel unwell.

- · 2.3 Other hazards -
 - Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

Description: -

(Contd. on page 2)



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat. (1:1)

		(Contd. of page
· Dangerous components:		
CAS: 14464-46-1	Cristobalite	25-50%
EINECS: 238-878-4	STOT RE 1, H372	
CAS: 556-67-2	octamethylcyclotetrasiloxane	<1%
EINECS: 209-136-7	Flam. Liq. 3, H226	
Reg.nr.: 2119529238-36-xxxx	Repr. 2, H361f	
	Aquatic Chronic 4, H413	
CAS: 540-97-6	Dodecamethylcyclohexasiloxane	<1%
EINECS: 208-762-8	Acute Tox. 4, H302; Acute Tox. 4, H312	
Reg.nr.: 01-2119717435-42-xxxx		
·SVHC		
556-67-2 octamethylcyclotetrasilc	oxane	
540-97-6 Dodecamethylcyclohexa	asiloxane	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - · After inhalation Supply fresh air; consult doctor in case of symptoms.
 - · After skin contact

Instantly rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
 - · Protective equipment: Put on breathing apparatus.
 - · Additional information -

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

Avoid contact with eyes and skin.

• **6.2 Environmental precautions:** Prevent material from reaching sewage system, holes and cellars. (Contd. on page 3)



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat. (1:1)

(Contd. of page 2)

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

6.4 Reference to other sections

No dangerous materials are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

_

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

- Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - · Storage
 - Requirements to be met by storerooms and containers: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- 8.1 Control parameters
 - Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Not required.

- Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
 - Personal protective equipment
 - · General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Wash hands during breaks and at the end of the work.

- · Breathing equipment: Use a mask with particle filter in case of dust generation.
- · Protection of hands:

Check protective gloves prior to each use for their proper condition.

recommended

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat. (1:1)

(Contd. of page 3)

Nitrile rubber. NBR

· Eye protection: Safety glasses

· Body protection: Light weight protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: · Colour:

· Smell:

· Odour threshold: · pH-value:

Light grey Characteristic Not determined.

Pasty

Not determined.

· Change in condition

· Melting point/freezing point: Initial boiling point and boiling range: 300 °C

Not determined

· Flash point:

>130 °C

· Inflammability (solid, gaseous) · Ignition temperature:

Not applicable. 430 °C

· Decomposition temperature:

Not determined.

· Self-inflammability:

Product is not selfigniting. Product is not explosive.

· Explosive properties:

Not determined.

Critical values for explosion:

Lower: · Upper:

Not determined. Not determined.

· Steam pressure:

Not determined.

· Density at 20 °C

1.6 g/cm3

Relative density · Vapour density · Evaporation rate

Not determined. Not determined. Not determined.

· Solubility in / Miscibility with

Not miscible or difficult to mix

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

dynamic: · kinematic:

Not determined. Not determined.

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 5)



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat. (1:1)

(Contd. of page 4)

- · 10.2 Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None
 - · Additional information: -

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
 - · Acute toxicity Based on available data, the classification criteria are not met.

· LD/	· LD/LC50 values that are relevant for classification:	
68083-19-	68083-19-2 Polydimethylsiloxan	
Oral	LD50	>5,000 mg/kg (rat)
556-67-2	556-67-2 octamethylcyclotetrasiloxane	
Oral	LD50	1,700 mg/kg (mouse)
		4,800 mg/kg (rat)
Dermal	LD50	>2,400 mg/kg (rat)
		36 mg/l (rat)
540-97-6 I	540-97-6 Dodecamethylcyclohexasiloxane	
Oral	LD50	2,000 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rat)

- · Primary irritant effect:
 - Skin corrosion/irritation Based on available data, the classification criteria are not met.
 - Serious eye damage/irritation
 - Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 - · Germ cell mutagenicity Based on available data, the classification criteria are not met.
 - · Carcinogenicity Based on available data, the classification criteria are not met.
 - · Reproductive toxicity

540-97-6 Dodecamethylcyclohexasiloxane

Oral NOAEL(C) 1,000 mg/kg (rat)

Based on available data, the classification criteria are not met.

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

· Aspiration hazard Based on available data, the classification criteria are not met.

GB



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat. (1:1)

(Contd. of page 5)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

540-97-6 Dodecamethylcyclohexasiloxane

EC50/72h >0.002 mg/l (algae) (OECD 201)

NOEC / 21d 0.0046 mg/l (daphnia)

NOEC / 72h >0.002 mg/l (algae) (OECD 201)

12.2 Persistence and degradability

556-67-2 octamethylcyclotetrasiloxane

Biodegradation 3.7 % (nd)

· 12.3 Bioaccumulative potential

556-67-2 octamethylcyclotetrasiloxane

Bloconcentration factor (BCF) 12.4 (fish)

- 12.4 Mobility in soil No further relevant information available.
 - · Additional ecological information:
 - · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- · 12.5 Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system

Disposal must be made according to official regulations.

· European waste catalogue

18 01 06* chemicals consisting of or containing hazardous substances

· Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings can be used for recycling.

SECTION 14: Transport information

· 14.1 UN-Number

ADR, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, IMDG, IATA Void

(Contd. on page 7)



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat. (1:1)

		(Contd. of page 6
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.	
· Transport/Additional information:	-	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - · Directive 2012/18/EU
 - · Named dangerous substances ANNEX I None of the ingredients is listed.
 - · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
 - · National regulations
 - Other regulations, limitations and prohibitive regulations

	Substances of very high concern (SVHC) according to REACH, Article 57
556-67-2	octamethylcyclotetrasiloxane
540-97-6	Dodecamethylcyclohexasiloxane
45001	

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H361f Suspected of damaging fertility.

H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

H413 May cause long lasting harmful effects to aquatic life.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 8)



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.05.2020 Version number 4 Revision: 19.05.2020

Trade name: Flexitime Light Flow Cat. (1:1), Flexitime Medium Flow Cat. (1:1)

(Contd. of page 7)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LC50: Letnal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity - oral – Category 4
Repr. 2: Reproductive toxicity – Category 2
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1
Aquatic Chronic 4: Hazardous to the aquatic environment - Innocterm aquatic

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4