

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## IconDry

Print date: 20.04.2016

Product code: 6700

Page 1 of 6

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

IconDry

Product group:	Endprodukt
CAS No:	64-17-5
Index No:	603-002-00-5
EC No:	200-578-6

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

Company name:	DMG Chemisch-Pharmazeutische Fabrik GmbH	
Street:	Elbgaustraße 248	
Place:	D-22547 Hamburg	
Telephone:	+49. (0) 40. 84006-0	Telefax: +49. (0) 40. 84006-222
e-mail:	info@dmg-dental.com	
Internet:	www.dmg-dental.com	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:  
Flammable liquid: Flam. Liq. 2  
Hazard Statements:  
Highly flammable liquid and vapour.

#### 2.2. Label elements

Signal word:	Danger
Pictograms:	GHS02



##### Hazard statements

H225	Highly flammable liquid and vapour.
------	-------------------------------------

##### Precautionary statements

P233	Keep container tightly closed.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P102	Keep out of reach of children.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

Ethanol.

Sum formula:	C <sub>2</sub> H <sub>6</sub> O
Molecular weight:	46,07

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**IconDry**

Print date: 20.04.2016

Product code: 6700

Page 2 of 6

**Hazardous components**

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
200-578-6	ethanol, ethyl alcohol	< 100 %
64-17-5	F - Highly flammable R11	
603-002-00-5	Flam. Liq. 2; H225	

Full text of R-, H- and EUH-phrases: see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****After inhalation**

Move victim to fresh air. Put victim at rest and keep warm.

**After contact with skin**

After contact with skin, wash immediately with: Water and soap. Change contaminated clothing. Rub in high-fat content cream.

**After contact with eyes**

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**After ingestion**

If swallowed, immediately drink: Water. Consult physician.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**Atomized water. alcohol resistant foam. Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. Sand.**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Concentrated vapors are heavier than air. Vapours may form explosive mixtures with air.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Keep away from sources of ignition - No smoking.

The following must be prevented: inhalation. skin contact. Eye contact.

**6.2. Environmental precautions**

Do not empty into drains or the aquatic environment.

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Keep away from sources of ignition - No smoking. Provide adequate ventilation.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**IconDry**

Print date: 20.04.2016

Product code: 6700

Page 3 of 6

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.  
Store only in original container.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

**8.2. Exposure controls****Protective and hygiene measures**

When using do not eat or drink.

**Eye/face protection**

Tightly sealed safety glasses.

**Hand protection**

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

**Respiratory protection**

The following must be prevented: inhalation. Exceeding critical value: Filter respirator (full mask or mouth-piece) with filter: A

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state: liquid  
Colour: colourless-transparent  
Odour: characteristic

**Test method**

pH-Value: neutral

**Changes in the physical state**

Melting point: ca. -115 °C  
Initial boiling point and boiling range: ca. 80 °C  
Flash point: 12 °C  
Lower explosion limits: 3.5 vol. %  
Upper explosion limits: 15 vol. %  
Ignition temperature: 425 °C  
Vapour pressure: 59 hPa  
(at 20 °C)  
Density (at 20 °C): ca. 0,8 g/cm<sup>3</sup>  
Water solubility: complete miscible

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**IconDry**

Print date: 20.04.2016

Product code: 6700

Page 4 of 6

Viscosity / dynamic:  
(at 20 °C)

1,3 mPa·s

**SECTION 10: Stability and reactivity****10.4. Conditions to avoid**

heat.

**10.5. Incompatible materials**

Oxidizing agents. peroxides. acid. Alkali metals.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

Acute toxicity, oral LD50: (species: Rat.): &gt; 6200 mg/kg; Acute toxicity, inhalant 95.6 mg / l / 4 h

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
64-17-5	ethanol, ethyl alcohol				
	oral	LD50	6200 mg/kg	Rat	IUCLID
	inhalative (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS

**Irritation and corrosivity**

In case of prolonged or frequently repeated skin contact: irritant.; Following eye contact: irritant.

**SECTION 12: Ecological information****12.1. Toxicity**

Acute fish toxicity (Leuciscus idus): LC50: &gt; 8140 mg / l / 48 h (Ethanol);

Acute Daphnia toxicity (Daphnia magna): EC50: 9268 - 14221 mg / l / 48 h

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source
64-17-5	ethanol, ethyl alcohol					
	Acute crustacea toxicity	EC50 mg/l	9268 - 14221	48 h	Daphnia magna	IUCLID

**12.2. Persistence and degradability**

Easily biodegradable (concerning to the criteria of the OECD)

**12.3. Bioaccumulative potential****Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,31

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Remove according to the regulations.

**Waste disposal number of waste from residues/unused products**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**IconDry**

Print date: 20.04.2016

Product code: 6700

Page 5 of 6

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing dangerous substances  
Classified as hazardous waste.

**SECTION 14: Transport information****Land transport (ADR/RID)**

**14.1. UN number:** UN 1170  
**14.2. UN proper shipping name:** ETHANOL (ETHYL ALCOHOL)  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
 Hazard label: 3



Classification code: F1  
 Special Provisions: 144 601  
 Limited quantity: 1 L  
 Transport category: 2  
 Hazard No: 33  
 Tunnel restriction code: D/E

**Other applicable information (land transport)**

E2

**Marine transport (IMDG)**

**14.1. UN number:** UN 1170  
**14.2. UN proper shipping name:** ETHANOL (ETHYL ALCOHOL)  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
 Hazard label: 3



Special Provisions: 144  
 Limited quantity: 3 L  
 EmS: F-E, S-D

**Other applicable information (marine transport)**

E2

**Air transport (ICAO)**

**14.1. UN number:** UN 1170  
**14.2. UN proper shipping name:** ETHANOL (ETHYL ALCOHOL)  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
 Hazard label: 3

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**IconDry**

Print date: 20.04.2016

Product code: 6700

Page 6 of 6



Special Provisions: A3  
Limited quantity Passenger: 1 L  
IATA-packing instructions - Passenger: 353  
IATA-max. quantity - Passenger: 5 L  
IATA-packing instructions - Cargo: 364  
IATA-max. quantity - Cargo: 60 L

**Other applicable information (air transport)**

E2  
: Y341

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

National regulatory information

**SECTION 16: Other information****Relevant R-phrases (Number and full text)**

11 Highly flammable.

**Relevant H- and EUH-phrases (Number and full text)**

H225 Highly flammable liquid and vapour.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## IconEtch

Print date: 20.04.2016

Product code: 6102

Page 1 of 6

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

IconEtch

CAS No: 7647-01-0  
Index No: 017-002-00-2  
EC No: 231-595-7

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

Company name: DMG Chemisch-Pharmazeutische Fabrik GmbH  
Street: Elbgaustraße 248  
Place: D-22547 Hamburg  
Telephone: +49. (0) 40. 84006-0  
Telefax: +49. (0) 40. 84006-222  
e-mail: info@dmg-dental.com  
Internet: www.dmg-dental.com

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Directive 67/548/EEC or 1999/45/EC

This mixture is not classified as hazardous according to Directive 1999/45/EC.

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:  
Skin corrosion/irritation: Skin Corr. 1B  
Specific target organ toxicity - single exposure: STOT SE 3  
Hazard Statements:  
May be corrosive to metals.  
May cause respiratory irritation.  
Causes severe skin burns and eye damage.

#### 2.2. Label elements

Signal word: Danger  
Pictograms: GHS05-GHS07



##### Hazard statements

H290 May be corrosive to metals.  
H335 May cause respiratory irritation.  
H314 Causes severe skin burns and eye damage.

##### Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**IconEtch**

Print date: 20.04.2016

Product code: 6102

Page 2 of 6

**Chemical characterization**

Hydrochloric (HCl).

Sum formula: HCl

Molecular weight: 36,46

**Hazardous components**

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
	Hydrochloric (HCl).	15 - 20 %
7647-01-0	C - Corrosive, Xi - Irritant R34-37	

Full text of R-, H- and EUH-phrases: see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****After inhalation**

Provide fresh air. Consult physician.

If victim is at risk of losing consciousness, position and transport on their side.

**After contact with skin**

After contact with skin, wash immediately with plenty of water. Remove contaminated clothing immediately and dispose off safely.

**After contact with eyes**

Move victim out of danger zone. Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult physician.

**After ingestion**

Do not induce vomiting. Rinse mouth immediately and drink large quantities of water. Consult physician.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****5.2. Special hazards arising from the substance or mixture**

Material is not combustible.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

The following must be prevented: inhalation. skin contact. Eye contact. Wear suitable protective clothing.

**6.2. Environmental precautions**

Do not empty into drains or the aquatic environment.

**6.3. Methods and material for containment and cleaning up**Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Suitable material for diluting or neutralizing: lime-Water. , "lime water" Ca(OH)<sub>2</sub> aq.**SECTION 7: Handling and storage****7.1. Precautions for safe handling**



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**IconEtch**

Print date: 20.04.2016

Product code: 6102

Page 3 of 6

**Advice on safe handling**

Wear suitable protective clothing and gloves. Avoid contact with eyes.

**Further information on handling**

Keep container tightly closed.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed. Suitable material for Container: Glass. material, acid proof.

**Advice on storage compatibility**

Do not store together with: Alkalis (alkalis). metal.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
7647-01-0	Hydrogen chloride (gas and aerosol mists)	1	2		TWA (8 h)	WEL
		5	8		STEL (15 min)	WEL

**8.2. Exposure controls****Protective and hygiene measures**

When using do not eat or drink.

**Eye/face protection**

Tightly sealed safety glasses.

**Hand protection**

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber):.0,4mm

**Respiratory protection**

The following must be prevented: inhalation. Exceeding critical value: Filter respirator (full mask or mouth-piece) with filter: A

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state: Paste  
 Colour: green  
 Odour: pungent

**Test method**

pH-Value: ca.1

**Changes in the physical state**

point of decomposition: &gt;100 °C

Lower explosion limits:

Upper explosion limits:

Vapour pressure: ca.21 hPa  
(at 20 °C)

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

**IconEtch**

Print date: 20.04.2016

Product code: 6102

Page 4 of 6

Density (at 20 °C):

ca 1,1 g/cm<sup>3</sup>

Water solubility:

miscible.

**SECTION 10: Stability and reactivity****10.4. Conditions to avoid**

at °C: ca 100-point of decomposition

**10.5. Incompatible materials**

metals in powder form. metal. amines. Alkalis (alkalis).

**10.6. Hazardous decomposition products**

Hydrochloric (HCl).

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

Acute toxicity, oral LD50: (species: Rat.): 3000 ppm (Vol.)/1h

**Irritation and corrosivity**

Irritant effect on the eye: corrosive. Risk of serious damage to eyes.

Irritant effect on the skin: Causes burns.

Following inhalation: Coughing. shortage of breath. Gas / vapours, irritant.

After ingestion: Causes burns. Nature of Hazard: Stomach perforation.

**Additional information on tests**

highly caustic.

**SECTION 12: Ecological information****Further information**

Leakage into the environment must be prevented.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Remove according to the regulations.

**Waste disposal number of waste from residues/unused products**

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing dangerous substances  
Classified as hazardous waste.

**SECTION 14: Transport information****Land transport (ADR/RID)**

**14.1. UN number:** UN 1789  
**14.2. UN proper shipping name:** HYDROCHLORIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
Hazard label: 8

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## IconEtch

Print date: 20.04.2016

Product code: 6102

Page 5 of 6



Classification code: C1  
 Special Provisions: 520  
 Limited quantity: 1 L  
 Transport category: 2  
 Hazard No: 80  
 Tunnel restriction code: E

### Other applicable information (land transport)

E2

### Marine transport (IMDG)

**14.1. UN number:** UN 1789  
**14.2. UN proper shipping name:** HYDROCHLORIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8



Special Provisions: -  
 Limited quantity: 1 L  
 EmS: F-A, S-B

### Other applicable information (marine transport)

E2

### Air transport (ICAO)

**14.1. UN number:** UN 1789  
**14.2. UN proper shipping name:** HYDROCHLORIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8



Special Provisions: A3  
 Limited quantity Passenger: 0.5 L  
 IATA-packing instructions - Passenger: 851  
 IATA-max. quantity - Passenger: 1 L  
 IATA-packing instructions - Cargo: 855  
 IATA-max. quantity - Cargo: 30 L

### Other applicable information (air transport)

E2

: Y840

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

## SECTION 15: Regulatory information

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**IconEtch**

Print date: 20.04.2016

Product code: 6102

Page 6 of 6

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information****SECTION 16: Other information****Relevant R-phrases (Number and full text)**

- 34 Causes burns.
- 37 Irritating to respiratory system.

**Relevant H- and EUH-phrases (Number and full text)**

- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H335 May cause respiratory irritation.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**IconInfiltrant**

Print date: 20.04.2016

Product code: 2600

Page 1 of 5

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

IconInfiltrant

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.3. Details of the supplier of the safety data sheet**

Company name:	DMG Chemisch-Pharmazeutische Fabrik GmbH	
Street:	Elbgaustraße 248	
Place:	D-22547 Hamburg	
Telephone:	+49. (0) 40. 84006-0	Telefax: +49. (0) 40. 84006-222
e-mail:	info@dmg-dental.com	
Internet:	www.dmg-dental.com	

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Respiratory/skin sensitization: Resp. Sens. 1B

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

May cause respiratory irritation.

Causes serious eye irritation.

Causes skin irritation.

May cause an allergic skin reaction.

**2.2. Label elements**

Signal word:	Warning
Pictograms:	GHS07

**Hazard statements**

H335	May cause respiratory irritation.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

**Precautionary statements**

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Waste disposal according to official state regulations.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P272	Contaminated work clothing should not be allowed out of the workplace.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.

**SECTION 3: Composition/information on ingredients**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**IconInfiltrant**

Print date: 20.04.2016

Product code: 2600

Page 2 of 5

**3.2. Mixtures****Chemical characterization**

chemical characterization (preparation): Acrylate.-resin.

name	CAS	%
TEDMA	109-16-0	70-95
Camphoro Quinone	10373-78-1	< 2.5

**SECTION 4: First aid measures****4.1. Description of first aid measures****After inhalation**

Move victim to fresh air. Put victim at rest and keep warm.

**After contact with skin**

After contact with skin, wash immediately with: Water and soap.

**After contact with eyes**

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**After ingestion**

Immediately get medical attention.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**Water fog. Extinguishing powder. Sand. Foam. Carbon dioxide (CO<sub>2</sub>).**Unsuitable extinguishing media**

High power water jet.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Wear suitable protective clothing. The following must be prevented: inhalation. skin contact.

**6.2. Environmental precautions**

Do not empty into drains or the aquatic environment.

**6.3. Methods and material for containment and cleaning up**

Collect mechanically.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Keep container tightly closed. Wear suitable protective clothing and gloves. Avoid contact with eyes.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**Ensure adequate ventilation of the storage area.  
Keep container tightly closed in a cool, well-ventilated place.**Further information on storage conditions**

Store only in original container.

**SECTION 8: Exposure controls/personal protection**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**IconInfiltrant**

Print date: 20.04.2016

Product code: 2600

Page 3 of 5

**8.1. Control parameters****8.2. Exposure controls****Appropriate engineering controls**

Ensure adequate ventilation of the storage area.

**Protective and hygiene measures**

When using do not eat or drink.

**Eye/face protection**

Tightly sealed safety glasses.

**Hand protection**

Tested protective gloves are to be worn: Suitable material: NBR (Nitrile rubber).

**Respiratory protection**

The following must be prevented: inhalation.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	colourless - yellow
Odour:	like: ester

**Test method**

pH-Value: not applicable

**Changes in the physical state**

point of decomposition: &gt; 250 °C

Flash point: 100 °C

Lower explosion limits: not determined

Upper explosion limits: not determined

Vapour pressure: not determined

Density: 1 g/cm<sup>3</sup>

Water solubility: miscible.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Preparation not tested.

**10.2. Chemical stability**Preparation not tested.  
Substances sensitive to light.**10.3. Possibility of hazardous reactions**Preparation not tested.  
No risks worthy of mention.**10.4. Conditions to avoid**Light. heat.  
Decomposition takes place from temperatures above: 200 °C**10.5. Incompatible materials**

Reducing agents. radical former. heavy metals.

**10.6. Hazardous decomposition products**

Can be released in case of fire: Gas / vapours, irritant. (Acrylate., pungent). Substances sensitive to

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

**IconInfiltrant**

Print date: 20.04.2016

Product code: 2600

Page 4 of 5

light.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

Preparation not tested.

**Acute toxicity**

Acute toxicity, oral (Rat.): LD50: &gt; 5000 mg/kg

Acute toxicity, dermal (Rabbit.): LD50: &gt; 3000 mg/kg

**Irritation and corrosivity**

Frequently or prolonged contact with skin may cause dermal irritation.

Irritant effect on the eye:

**Additional information on tests**

Contains Methacrylic esters.: May produce an allergic reaction.

**SECTION 12: Ecological information****12.1. Toxicity**

Preparation not tested.

**12.2. Persistence and degradability**

Preparation not tested.

**12.3. Bioaccumulative potential**

Preparation not tested.

**12.4. Mobility in soil**

Preparation not tested.

**12.5. Results of PBT and vPvB assessment**

Preparation not tested.

**12.6. Other adverse effects**

Preparation not tested.

**Further information**

Do not empty into drains or the aquatic environment. Leakage into the environment must be prevented.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Can be burnt together with household waste in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Paste: Carry out a burning of hazardous waste according to official regulations.

**Waste disposal number of waste from residues/unused products**

180106 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing dangerous substances  
Classified as hazardous waste.

**SECTION 14: Transport information****Other applicable information**

Not a hazardous material with respect to these transportation regulations.



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**IconInfiltrant**

Print date: 20.04.2016

Product code: 2600

Page 5 of 5

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information****15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

**SECTION 16: Other information****Relevant H- and EUH-phrases (Number and full text)**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

**Further Information**

-

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*