Printing date 14.09.2021 Version number 1 Revision: 09.09.2021

#### · 1.1 Product identifier

- · Trade name: Omniwipes wet & easy
- · UFI: 1AFC-JN7C-H10P-K0H8
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Life cycle stages PW Widespread use by professional workers
- · Sector of Use

SU20 Health services

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Product category PC8 Biocidal products
- · Application of the substance / the mixture Disinfectant
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Hersteller/Lieferant:

PRISMAN GmbH

Otto Hahn Ring 6-18

D-64653 Lorsch - Germany

Vertrieb durch:

OMNIDENT DentalHandelsgesellschaft mbH

Gutenbergring 5 D-63110 Rodgau

Tel.: +49 (0) 6106 874-0

· Further information obtainable from:

Produktmanagement Fon: +49 (6106) 8 74 - 0

· 1.4 Emergency telephone number:

Erreichbar werktags von: 8.00 - 16.30 Uhr

Tel: +49 (6106) 874 -0 Fax: +49 (6106) 874 -265 info@omnident.de

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Sol. 1 H228 Flammable solid.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS02

- · Signal word Danger
- · Hazard-determining components of labelling:

propan-1-ol

· Hazard statements

H228 Flammable solid.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves / eye protection.

P404 Store in a closed container.

(Contd. on page 2)

(Contd. of page 1)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.09.2021 Version number 1 Revision: 09.09.2021

Trade name: Omniwipes wet & easy

· Labelling of packages where the contents do not exceed 125 ml

· Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling: propan-1-ol
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 RTECS: KQ 6300000 Reg.nr.: 01-2119457610-43-XXXX	ethanol  Flam. Liq. 2, H225	25-50%
CAS: 71-23-8 EINECS: 200-746-9 Index number: 603-003-00-0 RTECS: UH 8225000 Reg.nr.: 01-2119486761-29	propan-1-ol      Flam. Liq. 2, H225;    Eye Dam. 1, H318;    STOT SE 3, H336	2.5-10%

### · Additional information: For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

If symptoms persist consult doctor.

Rinse out mouth and then drink plenty of water.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

GE

Printing date 14.09.2021 Version number 1 Revision: 09.09.2021

Trade name: Omniwipes wet & easy

(Contd. of page 2)

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Use only in well ventilated areas.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Store receptacle in a well ventilated area.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Do not store at temperatures exceeding 40°C

· 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

71-23-8 propan-1-ol

WEL Short-term value: 625 mg/m³, 250 ppm Long-term value: 500 mg/m³, 200 ppm

Sk

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

Printing date 14.09.2021 Version number 1 Revision: 09.09.2021

Trade name: Omniwipes wet & easy

(Contd. of page 3)

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

· As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR Butyl rubber, BR • **Eye protection:** 



Tightly sealed goggles

SECTION 9: Physical and ch	SECTION 9: Physical and chemical properties		
9.1 Information on basic physical a General Information	nd chemical properties		
· Appearance:			
Form:	Liquid on inert carrier material		
Colour:	White		
Odour:	Alcohol-like		
Odour threshold:	Not determined.		
pH-value at 20°C:	<10		
Change in condition Melting point/freezing point: Initial boiling point and boiling re	Undetermined. <b>ange:</b> 78 °C		
Flash point:	25 ℃		
Flammability (solid, gas):	Highly flammable.		
Ignition temperature:	425 ℃		
Decomposition temperature:	Not determined.		
Auto-ignition temperature:	Product is not selfigniting.		
Explosive properties:	Product is not explosive. However, formation of explosive ai vapour mixtures are possible.		
Explosion limits: Lower:	3.5 Vol % (liquid)		

(Contd. on page 5)

Printing date 14.09.2021 Version number 1 Revision: 09.09.2021

Trade name: Omniwipes wet & easy

	(Contd. of	pag
Upper:	15.0 Vol % (liquid)	
Vapour pressure at 20 °C:	59 hPa	
Density at 20 °C:	0.91 g/cm³ (liquid)	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Partly soluble.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	51 % (liquid)	
Water:	<50 % (liquid)	
VOC (EC)	51 % (liquid)	
Solids content:	< 1 % (liquid)	
9.2 Other information	No further relevant information available.	

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

#### ATE (Acute Toxicity Estimates)

Oral LD50 23,375 mg/kg

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · Sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 14.09.2021 Version number 1 Revision: 09.09.2021

Trade name: Omniwipes wet & easy

(Contd. of page 5)

· Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue		
07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES	
07 06 00	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics	
07 06 99	wastes not otherwise specified	

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number · ADR, IMDG, IATA	UN3175
14.2 UN proper shipping name	
ADR	3175 SOLIDS CONTAINING FLAMMABLE LIQUI
	N.O.S. (ETHANOL (ETHYL ALCOHOL), n-PROPANO
	(PROPYL ALCOHOL, NORMAL))
· IMDG	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.
	(ETHANOL (ETHYL ALCOHOL), n-PROPANO
	(PROPYL ALCOHOL, NORMAL))
· IATA	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.
	(ETHANOL, n-PROPANOL (PROPYL ALCOHO
	NORMAL))

(Contd. on page 7)

Printing date 14.09.2021 Version number 1 Revision: 09.09.2021

Trade name: Omniwipes wet & easy

	(Contd. of page
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
<b>V</b>	
Class	4.1 Flammable solids, self-reactive substances and solid desensitised explosives.
Label	4.1
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable solids, self-reactive substances an solid desensitised explosives.
Hazard identification number (Kemler code):	40
EMS Number:	F-A,S-I
14.7 Transport in bulk according to Annex II of	of .
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ):	E2
Limited quantities (LQ)	l kg
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
Tunasan aut antan au	Maximum net quantity per outer packaging: 500 g
Transport category Tunnel restriction code	2 E
1 unnet restriction code	L
IMDG	
Limited quantities (LQ)	l kg
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
UN "Model Regulation":	UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID
	N.O.S. (ETHANOL (ETHYL ALCOHOL), N-PROPANO. (PROPYL ALCOHOL, NORMAL)), 4.1, II

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008 GHS label elements
- · Directive 2012/18/EU
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

GB

Printing date 14.09.2021 Version number 1 Revision: 09.09.2021

Trade name: Omniwipes wet & easy

(Contd. of page 7)

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

#### · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Sol. 1: Flammable solids – Category 1

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* \* Data compared to the previous version altered.

GR