

Safety Data Sheet

This safety data sheet is for informational purposes only and does not fully comply with national legal requirements. The national distributor is responsible for a legally compliant safety data sheet. Issue date: 11/3/2022 Revision date: 11/3/2022 Supersedes version of: 10/27/2022 Version: 2.00

SECTION 1: Identification of the substance/mixture and of the company/undertaking

: smarthand Gel : REF 208252, 208253, 208250, 208251 : Biocidal products
bstance or mixture and uses advised against
: Disinfectant Medical device Biocidal product
y data sheet
Email competent person sds@kft.de
 National Poison Information Service (NPIS) 24 hour national number professionals only 0844 892 0111
National Health Service (NHS) 24 hour national number consumer England and Scotland: 111 Wales: 0845 46 47 Northern Ireland: call your local General Practitioner
Call 999 if there is a life-threatening incident.

2.1. Classification of the substance or mixture		
Classification according to Regulation (EC) No. 1272/2008	[CLP]	
Flammable liquids, Category 2	H225	
Serious eye damage/eye irritation, Category 2	H319	
Full text of H- and EUH-statements: see section 16		
Adverse physicochemical, human health and environment	al effects	
Highly flammable liquid and vapour. Causes serious eye irritat	on.	
2.2. Label elements		

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Safety Data Sheet

This safety data sheet is for informational purposes only and does not fully comply with national legal requirements. The national distributor is responsible for a legally compliant safety data sheet.

	GHS02 GHS07
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H225 - Highly flammable liquid and vapour.
	H319 - Causes serious eye irritation.
Precautionary statements (CLP)	: P210 - Keep away from hot surfaces. No smoking.
	P280 - Wear protective gloves, eye protection.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
Extra phrases	: The additonal label requirements of directive EU 528/2012 about the available on the
	market and use of biocidal products have to be observed.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
propan-2-ol (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2,2',2"-nitrilotriethanol (102-71-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Glycerol (56-81-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol (Active substance (Biocide)) substance with national workplace exposure limit(s) (DE)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	≥ 70 – < 80	Flam. Liq. 2, H225 Eye Irrit. 2, H319
propan-2-ol substance with national workplace exposure limit(s) (DE)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0	≥ 2.5 – < 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
2,2',2"-nitrilotriethanol substance with national workplace exposure limit(s) (DE)	CAS-No.: 102-71-6 EC-No.: 203-049-8 REACH-no: 01-2119486482- 31-xxxx	≥ 0.25 – < 1	Not classified
Glycerol substance with national workplace exposure limit(s) (DE)	CAS-No.: 56-81-5 EC-No.: 200-289-5	≥ 0.25 – < 1	Not classified

Safety Data Sheet

This safety data sheet is for informational purposes only and does not fully comply with national legal requirements. The national distributor is responsible for a legally compliant safety data sheet.

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Ethanol (Active substance (Biocide))	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	(50 ≤C < 100) Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 In all cases of doubt, or when symptoms persist, seek medical attention. Remove person to fresh air and keep comfortable for breathing. Rinse skin with water/shower. Take off immediately all contaminated clothing. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse mouth out with water. Do not induce vomiting without medical advice. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effect	s, both acute and delayed
Symptoms/effects after eye contact	: Eye irritation.
4.3. Indication of any immediate medical	attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	 Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam. Carbon dioxide. Strong water jet.
5.2. Special hazards arising from the subs	tance or mixture
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Highly flammable liquid and vapour. Explosive vapour/air mixtures may be formed. Toxic fumes may be released. Carbon monoxide. Carbon dioxide.
5.3. Advice for firefighters	
Firefighting instructions Protection during firefighting Other information	 Protect container with water spray. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not allow run-off from fire fighting to enter drains or water courses. Disposal must be done according to official regulations.

SECTION 6: Accidental release measures		
6.1. Personal precautions, prote	ctive equipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	

Safety Data Sheet

This safety data sheet is for informational purposes only and does not fully comply with national legal requirements. The national distributor is responsible for a legally compliant safety data sheet.

6.2. Environmental precautions		

Avoid sub-soil penetration. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	 Take up liquid spill into absorbent material. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Notify authorities if product enters sewers or public waters. 	
Other information	: Disposal must be done according to official regulations.	
6.4. Reference to other sections		

Information for safe handling. See section 7. Concerning personal protective equipment to use, see section 8. For further information refer to section 13.

7.1. Precautions for safe handling	
Additional hazards when processed	: In use, may form flammable vapour-air mixture.
Precautions for safe handling	 In use, may form nammable vapour-an mixture. Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed.
Heat and ignition sources	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from heat and direct sunlight.
Information about storage in one common storage facility	: Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Ethanol (64-17-5)		
Germany - Occupational Exposure Limits (TRGS 900)		
Local name	Ethanol	
AGW (OEL TWA) [1]	380 mg/m³	
AGW (OEL TWA) [2]	200 ppm	
Peak exposure limitation factor	4(II)	
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden	
Regulatory reference	TRGS900	

Safety Data Sheet

This safety data sheet is for informational purposes only and does not fully comply with national legal requirements. The national distributor is responsible for a legally compliant safety data sheet.

2,2',2"-nitrilotriethanol (102-71-6)	
Germany - Occupational Exposure Limits	s (TRGS 900)
Local name	2,2',2"-Nitrilotriethanol
AGW (OEL TWA) [1]	1 mg/m³ (E)
Peak exposure limitation factor	1(l)
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden
Regulatory reference	TRGS900
propan-2-ol (67-63-0)	
Germany - Occupational Exposure Limits	s (TRGS 900)
Local name	Propan-2-ol
AGW (OEL TWA) [1]	500 mg/m ³
AGW (OEL TWA) [2]	200 ppm
Peak exposure limitation factor	2(II)
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden
Regulatory reference	TRGS900
Germany - Biological limit values (TRGS	903)
Local name	Propan-2-ol
Biological limit value	 25 mg/l Parameter: Aceton - Untersuchungsmaterial: B = Vollblut, U = Urin - Probenahmezeitpunkt: b) Expositionsende, bzw. Schichtende - Festlegung/Begründung: 11/2012 DFG 25 mg/l Parameter: Aceton - Untersuchungsmaterial: U = Urin - Probenahmezeitpunkt: b) Expositionsende, bzw. Schichtende - Festlegung/Begründung: 11/2012 DFG
Regulatory reference	TRGS 903
Glycerol (56-81-5)	
Germany - Occupational Exposure Limits	s (TRGS 900)
Local name	Glycerin
AGW (OEL TWA) [1]	200 mg/m³ (E)
Peak exposure limitation factor	2(I)
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden
Regulatory reference	TRGS900

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

Safety Data Sheet

This safety data sheet is for informational purposes only and does not fully comply with national legal requirements. The national distributor is responsible for a legally compliant safety data sheet.

8.1.4. DNEL and PNEC			
Ethanol (64-17-5)			
DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal	8238 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	380 mg/m ³		
DNEL/DMEL (General population)			
Long-term - systemic effects, inhalation	114 mg/m ³		
PNEC (Water)			
PNEC aqua (freshwater)	0.96 mg/l		
PNEC aqua (marine water)	0.79 mg/l		
PNEC aqua (intermittent, freshwater)	2.75 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	3.6 mg/kg dwt		
PNEC sediment (marine water)	2.9 mg/kg dwt		
PNEC (Soil)			
PNEC soil	0.63 mg/kg dwt		
PNEC (Oral)			
PNEC oral (secondary poisoning)	0.38 kg/kg food		
PNEC (STP)			
PNEC sewage treatment plant	580 mg/l		
propan-2-ol (67-63-0)			
DNEL/DMEL (Workers)			
Acute - systemic effects, inhalation	1000 mg/m ³		
Long-term - systemic effects, dermal	888 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	500 mg/m ³		
DNEL/DMEL (General population)			
Acute - systemic effects, inhalation	178 mg/m ³		
Acute - systemic effects, oral	51 mg/kg bodyweight		
Long-term - systemic effects,oral	26 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	89 mg/m ³		
Long-term - systemic effects, dermal	319 mg/kg bodyweight/day		

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Safety Data Sheet

This safety data sheet is for informational purposes only and does not fully comply with national legal requirements. The national distributor is responsible for a legally compliant safety data sheet.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Wear closed safety glasses. EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing. EN 340. EN 13034. EN ISO 13688

Hand protection:

In case of repeated or prolonged contact wear gloves. Chemically resistant protective gloves. Nitrile rubber. EN 374. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. EN 143. Breathing apparatus with filter. A-P2. Breathing equipment is only to be used in order to handle the residual risk of short term jobs if all other risk minimizing measures have been carried out e.g. retention and/or local exhaust.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Always wash hands after handling the product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light blue.
Odour	: aromatic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: 80 °C
Flammability	: Not applicable
Explosive properties	: Product is not explosive. Explosive vapour/air mixtures may be formed.
Oxidising properties	: Non oxidizing.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 21 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: 5.5 – 7
Viscosity, kinematic	: Not available
Solubility	: Water: Soluble
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 5.95 kPa (20 °C)
Vapour pressure at 50°C	: Not available
Density	: 0.8 g/cm ³ (20 °C)
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

Safety Data Sheet

This safety data sheet is for informational purposes only and does not fully comply with national legal requirements. The national distributor is responsible for a legally compliant safety data sheet.

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. Highly flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information			
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008			
Acute toxicity (dermal) :	Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met)		
Ethanol (64-17-5)			
LD50 oral rat	10470 mg/kg bodyweight (OECD 401 method)		
LC50 Inhalation - Rat (Vapours)	124.7 mg/l/4h (OECD 403)		
2,2',2"-nitrilotriethanol (102-71-6)			
LD50 oral rat	6400 mg/kg bodyweight (OECD 401 method)		
LD50 dermal rabbit	> 2000 mg/kg bodyweight (OECD 402 method)		
propan-2-ol (67-63-0)			
LD50 oral rat	5840 mg/kg bodyweight (OECD 401 method)		
LD50 dermal rabbit	16.4 ml/kg (OECD 402 method)		
LC50 Inhalation - Rat [ppm]	> 10000 ppm (6 h; (OECD 403 method))		
Glycerol (56-81-5)			
LD50 oral rat	> 5000 mg/kg bodyweight		
LD50 oral	≈ 23000 mg/kg bodyweight (mouse, male)		

Safety Data Sheet

This safety data sheet is for informational purposes only and does not fully comply with national legal requirements. The national distributor is responsible for a legally compliant safety data sheet.

Glycerol (56-81-5)		
LC50 Inhalation - Rat (Vapours)		> 2.75 mg/l/4h
Skin corrosion/irritation		Not classified (Based on available data, the classification criteria are not met) pH: 5.5 – 7
Serious eye damage/irritation		Causes serious eye irritation. pH: 5.5 – 7
Respiratory or skin sensitisation	:	Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	:	Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	:	Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	:	Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	:	Not classified (Based on available data, the classification criteria are not met)
propan-2-ol (67-63-0)		
STOT-single exposure		May cause drowsiness or dizziness.
STOT-repeated exposure	:	Not classified (Based on available data, the classification criteria are not met)
2,2',2"-nitrilotriethanol (102-71-6)		
NOAEL (oral, rat, 90 days)		1000 mg/kg bodyweight/day (OECD 408 method)
NOAEL (dermal, rat/rabbit, 90 days)		125 mg/kg bodyweight/day (OECD 411 method)
NOAEC (inhalation, rat, vapour, 90 days)		0.02 mg/l/6h/day (OECD 412 method)
Aspiration hazard	:	Not classified (Based on available data, the classification criteria are not met)
11.2. Information on other hazards		

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
(acute)	Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met)
Ethanol (64-17-5)	
LC50 - Fish [1]	14200 mg/l (96 h; Pimephales promelas; US EPA method E03-05)
EC50 - Crustacea [1]	5012 mg/l (48 h; Ceriodaphnia dubia; ASTM E729-80)
ErC50 algae	275 mg/l (72 h, Chlorella vulgaris, (OECD 201 method))
NOEC chronic fish	250 mg/l (120 h, Zebrafish, (OECD 212 method))
NOEC chronic crustacea	2 mg/l (10 d, Ceriodaphnia dubia)
2,2',2"-nitrilotriethanol (102-71-6)	
LC50 - Fish [1]	11800 mg/l (96 h; Pimephales promelas; APHA Method (1980))
EC50 - Crustacea [1]	609.88 mg/l (48h; Ceriodaphnia dubia; ASTM E1192 (1988))
ErC50 algae	512 mg/l (72 h; Desmodesmus subspicatus; DIN 38412 / 9; neutralized)
NOEC (chronic)	16 mg/l (21 d; Daphnia magna)
propan-2-ol (67-63-0)	
LC50 - Fish [1]	9640 mg/l (96 h; Pimephales promelas; (OECD 203 method))
EC50 - Crustacea [1]	> 10000 mg/l (24 h; Daphnia magna;(OECD 202 method))

Safety Data Sheet

This safety data sheet is for informational purposes only and does not fully comply with national legal requirements. The national distributor is responsible for a legally compliant safety data sheet.

propan-2-ol (67-63-0)		
ErC50 algae	1800 mg/l (7 d; Scenedesmus quadricauda)	
NOEC chronic algae	1800 mg/l (7d; Scenedesmus quadricauda)	
Glycerol (56-81-5)		
LC50 - Fish [1]	54000 mg/l (96 h; Oncorhynchus mykiss)	
EC50 - Crustacea [1]	1955 mg/l (48 h; Daphnia magna)	
12.2. Persistence and degradability		
smarthand Gel		
Persistence and degradability	The product has not been tested.	
Ethanol (64-17-5)		
Persistence and degradability	Readily biodegradable.	
Biodegradation	84 % (20 d)	
2,2',2"-nitrilotriethanol (102-71-6)		
Persistence and degradability	Readily biodegradable.	
Biodegradation	≈ 100 % (5 d)	
propan-2-ol (67-63-0)		
Persistence and degradability	Readily biodegradable.	
Biodegradation	53 % (5 d ; Test method EU C.5)	
Glycerol (56-81-5)		
Persistence and degradability	Readily biodegradable.	

12.3. Bioaccumulative potential

Biodegradation

smarthand Gel		
Bioaccumulative potential	The product has not been tested.	
Ethanol (64-17-5)		
Partition coefficient n-octanol/water (Log Kow)	-0.35 (20 °C)	
Bioaccumulative potential	Bioaccumulation unlikely.	
2,2',2"-nitrilotriethanol (102-71-6)		
BCF - Fish [1]	< 0.4 l/kg (Cyprinus carpio; 6 w; 2.5 mg/L; (OECD 305 method))	
BCF - Fish [2]	< 3.9 l/kg (Cyprinus carpio; 6 w; 0.25 mg/L; (OECD 305 method))	
Partition coefficient n-octanol/water (Log Pow)	-2.3 (25 °C; pH: 7.1)	
Bioaccumulative potential	Bioaccumulation unlikely.	
propan-2-ol (67-63-0)		
Partition coefficient n-octanol/water (Log Pow)	0.05 (25 °C)	
Bioaccumulative potential	Bioaccumulation unlikely.	

94 % (24 h)

Safety Data Sheet

This safety data sheet is for informational purposes only and does not fully comply with national legal requirements. The national distributor is responsible for a legally compliant safety data sheet.

Glycerol (56-81-5)	
Partition coefficient n-octanol/water (Log Kow)	-1.75 (25 °C; pH 7.4)
Bioaccumulative potential	Bioaccumulation unlikely.
12.4. Mobility in soil	
smarthand Gel	
Ecology - soil	The product has not been tested.
Ethanol (64-17-5)	
Surface tension	22.31 mN/m (20 °C)
2,2',2"-nitrilotriethanol (102-71-6)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.3 – 3.65 (pH 5 - 8; (calculated value))
propan-2-ol (67-63-0)	
Ecology - soil	Expected to be highly mobile in soil.
Glycerol (56-81-5)	
Surface tension	≈ 63.4 mN/m (20 °C)
12.5. Results of PBT and vPvB assessment	

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations Additional information HP Code

- Disposal must be done according to official regulations. Do not dispose of with domestic waste. Do not discharge into drains or the environment. European waste catalogue.
 Recycle or dispose of in compliance with current legislation.
- : Flammable vapours may accumulate in the container.
- : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and \leq 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;

- flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;

 water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;

- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

Safety Data Sheet

This safety data sheet is for informational purposes only and does not fully comply with national legal requirements. The national distributor is responsible for a legally compliant safety data sheet.

SECTION 14: Transpo	ort information			
n accordance with ADR / IME	DG / IATA / ADN / RID		1	
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber	•		1
UN 1987	UN 1987	UN 1987	UN 1987	UN 1987
14.2. UN proper shippin	g name			
ALCOHOLS, N.O.S. (Ethanol; propan-2-ol)	ALCOHOLS, N.O.S. (Ethanol; propan-2-ol)	Alcohols, n.o.s. (Ethanol; propan-2-ol)	ALCOHOLS, N.O.S. (Ethanol; propan-2-ol)	ALCOHOLS, N.O.S. (Ethanol; propan-2-ol)
Transport document descr	iption		-	
UN 1987 ALCOHOLS, N.O.S. (Ethanol; propan-2- ol), 3, III, (D/E)	UN 1987 ALCOHOLS, N.O.S. (Ethanol; propan-2- ol), 3, III	UN 1987 Alcohols, n.o.s. (Ethanol; propan-2-ol), 3, III	UN 1987 ALCOHOLS, N.O.S. (Ethanol; propan-2- ol), 3, III	UN 1987 ALCOHOLS, N.O.S. (Ethanol; propan-2 ol), 3, III
14.3. Transport hazard o	class(es)			
3	3	3	3	3
3				
14.4. Packing group	•			1
111		111	III	111
14.5. Environmental haz	zards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information	on available			I
14.6. Special precaution	s for user			
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Transport category (ADR) Hazard identification number Orange plates	: F1 : 274 : 51 : E1 : 3	4, 601 30 1987		
unnel restriction code (ADR)) : D/E			

Transport by sea

Transport by Sea	
Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344

Safety Data Sheet

This safety data sheet is for informational purposes only and does not fully comply with national legal requirements. The national distributor is responsible for a legally compliant safety data sheet.

PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO max net quantity (IATA) Special provisions (IATA)	:	10L 355 60L 220L A3, A180
Inland waterway transport		
Classification code (ADN)	:	F1
Special provisions (ADN)	:	274, 601
Limited quantities (ADN)	:	5 L
Excepted quantities (ADN)	:	E1
Carriage permitted (ADN)	:	Т
Rail transport		
Classification code (RID)	:	F1
Special provisions (RID)	:	274, 601
Limited quantities (RID)	:	5L
Excepted quantities (RID)	:	E1
Transport category (RID)	:	3
Hazard identification number (RID)	:	30

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Other information, restriction and prohibition regulations	: Take note of Directive 94/33/EC on the protection of young people at work. The additonal label requirements of directive EU 528/2012 about the available on the market and use of
	biocidal products have to be observed. Regulation (EU) No 528/2012 concerning the
	making available on the market and use of biocidal products. Every advertisement for
	biocides has to be accompanied by following sentence: Use biocides safely. Always read

the label and product information before use.

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
3(a)	smarthand Gel ; Ethanol ; propan-2-ol	
3(b)	smarthand Gel ; Ethanol ; propan-2-ol	
40.	smarthand Gel ; Ethanol ; propan-2-ol	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Safety Data Sheet

This safety data sheet is for informational purposes only and does not fully comply with national legal requirements. The national distributor is responsible for a legally compliant safety data sheet.

Biocide Regulation (528/2012)

Type of product (Biocide)	
.)[=====(=====)	

: 1 - Human hygiene

Seveso Directive (Disaster Risk Reduction)

Seveso III Part I (Categories of dangerous substances)	ous substances) Qualifying quantity (tonnes)	
	Lower-tier	Upper-tier
P5c FLAMMABLE LIQUIDS Flammable liquids, Categories 2 or 3 not covered by P5a and P5b	5000	50000

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Employment restrictions	: Employment prohibitions or restrictions on the protection of young people at work according to § 22 JArbSchG in the case of formation of hazardous substances have to be observed.
National Rules and Recommendations	 TRGS 400: Risk Assessment for Activities involving Hazardous Substances. TRGS 510: Storage of hazardous substances in non-stationary containers. TRGS 520: Construction and operation of collection points and temporary storage for small amounts of hazardous waste. TRGS 900: Occupational Exposure Limits.
Water hazard class (WGK)	: WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).
Storage class (LGK, TRGS 510)	: LGK 3 - Flammable liquids.
Hazardous Incident Ordinance (12. BImSchV)	: Listed in the 12. BlmSchV (Annex I) under: 1.2.5.3
	 Quantity threshold for operational area under § 1 para. 1 Sentence 1 :5000000 kg Sentence 2 :50000000 kg

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	General revision		
14.1	UN number	Modified	

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	

Safety Data Sheet

This safety data sheet is for informational purposes only and does not fully comply with national legal requirements. The national distributor is responsible for a legally compliant safety data sheet.

Abbreviations and acronyms:			
EC50	Median effective concentration		
IARC	International Agency for Research on Cancer		
ΙΑΤΑ	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
РВТ	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
TLM	Median Tolerance Limit		
vPvB	Very Persistent and Very Bioaccumulative		
CAS-No.	Chemical Abstract Service number		

Data sources

Department issuing data specification sheet:

: Information provided by the manufacturer. ECHA (European Chemicals Agency).

: KFT Chemieservice GmbH Im Leuschnerpark 3 D-64347 Griesheim

Phone: +49 6155-8981-400 Fax: +49 6155 8981-500 SDS Service: +49 6155 8981-522 : Dr. Maximilian Gatterdam

Contact person

Full text of H- and EUH-statements:		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Flam. Liq. 2	H225	Calculation method
Eye Irrit. 2	H319	Calculation method

```
KFT SDS EU 01
```

Safety Data Sheet

This safety data sheet is for informational purposes only and does not fully comply with national legal requirements. The national distributor is responsible for a legally compliant safety data sheet.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.